



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application:

John R. Brustad

Serial No.: 10/056,831

Filed: January 24, 2002

For: SURGICAL ACCESS DEVICE WITH
FLOATING GEL SEAL

Attorney Docket No.: A-2207-AL

EXPRESS MAIL MAILING LABEL NO.: EV 059374060 US

Date of Deposit: May 3, 2002

I hereby certify that the following documents as identified below are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R §1.10 on the date indicated above and are addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231:

1. Response to Notice to File Corrected Application Papers;
2. Notice to File Corrected Application Papers;
3. Request for Extension of Time;
4. Substitute Drawings;
5. Check No. 084700 in the amount of \$55.00 ; and
6. Return-receipt postcard..

Each of the five (5) above-identified documents are enclosed herewith.

Respectfully submitted,

Gabia Pakstys
Applied Medical Resources Corporation

22872 Avenida Empresa
Rancho Santa Margarita, California 92688
Telephone (949) 713-8000
Facsimile (949) 713-8206



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/056,831	01/24/2002	John R. Brustad	A-2207-AL

CONFIRMATION NO. 3412

FORMALITIES LETTER



OC000000007515888

Richard L. Myers
22872 Avenida Empresa
Rancho Santa Margarita, CA 92688

Date Mailed: 02/22/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Muhammed kibret
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE